

www.link-industrial.com

Total
Quality
Commitment



A V A I L A B L E I M M E D I A T E L Y

P A P E R M I L L S U P P O R T E Q U I P M E N T



Pallet Racking

100's of Sections Available

Various Upright Heights

Various Beam Lengths



Mobile Equipment

Over 60 Units Available

Clamp Trucks

Fork Trucks

Walk Behind Lifts

Personnel Carrier

Support Equipment

AC/and DC Motors

Pumps

Gearboxes

Clutches

Switchgear

Dye and Color Systems



For Additional Information or to Schedule an Inspection

Contact: Dean Fowler @ 937-790-0038 or email: dfowler@link-industrial.com

For equipment inspections, scheduling and safety equipment is required. Bids are currently being accepted. LINK Industrial Services reserves the right to refuse any or all offers. Equipment is being sold As/is, Where/is, with all faults. All sales are subject to Sale Terms and Conditions. All information thought to be accurate, seller not responsible for any misprint or inaccurate information.

6917 Athens Ave. Waynesville, Ohio 45068
Phone: (513)897-2602 Fax: (513)897-3426 email: sales@link-industrial.com

M O B I L E E Q U I P M E N T

Unit Type	Unit #	Manufacture	M/N	S/N	Fuel Type	Cap
CLAMP TRUCK	12	CROWN			BATTERY	6,000#
CLAMP TRUCK	87	Hyster	S80XL2	D004V06771P	LP	8,000#
CLAMP TRUCK	107	Hyster	S80XL2	D004V06770P	LP	8,000#
CLAMP TRUCK	117	Hyster	S120XL2	D4V5519N	LP	12,000#
CLAMP TRUCK	86	Hyster	S80XL2	D4V5468N	LP	8,000#
Fork Truck	44	Hyster	S50E	D2D13909E	LP	5,000#
Fork Truck	53	Hyster	S50XL	A187V14923K	LP	5,000#
Fork Truck	54	Hyster	S50XL2	C187V10301R	LP	5,000#
Fork Truck	58	Hyster	S50XL	A187V04052G	LP	5,000#
Fork Truck	76	Hyster	S50XL2	C187V06427P	LP	5,000#
Fork Truck	82	Hyster	S50XL	B187V1900L	LP	5,000#
Fork Truck	84	Hyster	S50XL	B187V1901L	LP	5,000#
Fork Truck	88	Hyster	S50E	D2D9741B	LP	5,000#
Fork Truck	103	Hyster	S50XL	A187V07965H	LP	5,000#
Fork Truck	110	Hyster	S50XL2	C187V2648N	LP	5,000#
Fork Truck	127	Hyster	S50XL	A187V14236K	LP	5,000#
Fork Truck	128	Hyster	S50XL	A187V14232K	LP	5,000#
Fork Truck	L050P	Hyster	S50XM	D187V18913X	LP	5,000#
Fork Truck	L052	Hyster	H60XM	D177B02686P	LP	6,000#
Fork Truck	L059	Hyster	H50XM	H177B32652	LP	5,000#
Fork Truck	L066	Hyster	S80XM	E004V02839A	LP	8,000#
Fork Truck	L070	Hyster	S50XM	D187V31206B	LP	5,000#
Fork Truck	L071	Hyster	S80XM	F004V02880C	LP	8,000#
Fork Truck	L075	Hyster	S50FT	F187V02993C	LP	5,000#
Fork Truck	L076	Hyster	S50FT	F187V02992C	LP	5,000#
Fork Truck	L042	Hyster	S50FT	F187V04020C	LP	5,000#
Fork Truck	L072	Hyster	S80XM	F004V02888C	LP	8,000#
Fork Truck	104	Hyster	H50XL	A177B22669H	LP	5,000#
Fork Truck	47	Hyster	S50XL2	C187V06425P	LP	5,000#
Fork Truck	50	Hyster	S50XL	A187V4359G	LP	5,000#
Fork Truck	R55	CLARK	ESC25	E3570114870107S	BATTERY	

In Addition, LINK has the following units available:

**(1) Royal P400 Coil Tractor
40,000# cap, Cat 3208 Diesel
Like New Condition**

(1) Cat T300 Coil Tractor



M O B I L E E Q U I P M E N T

MAN-LIFT	173	GROVE	31-58E	23747	ELECTRIC	800#
PERSONNEL CARRIER	465	NORDSKOG	535	535092G059	BATTERY	n/a
PERSONNEL CARRIER	497	CUSHMAN	320	568335	BATTERY	n/a
PERSONNEL CARRIER	496	CUSHMAN	320	568093	BATTERY	n/a
PERSONNEL CARRIER	512	CUSHMAN	320	98001533	BATTERY	n/a
PERSONNEL CARRIER	491	CUSHMAN	320	600903	BATTERY	n/a
PERSONNEL CARRIER	535	NORDSKOG	535		BATTERY	n/a
PERSONNEL CARRIER	507	MOTREC	507	704216	BATTERY	n/a
PERSONNEL CARRIER	472	CUSHMAN	320	600417	BATTERY	n/a
RIDER TRACTOR	L201	Hyster	T5XT	E142H02197X	BATTERY	700#
RIDER TRACTOR	231	Hyster	T5XT	E142H01982V	BATTERY	700#
STACKER	266	YALE	MC030C25071	N356674	BATTERY	3,000#
STACKER	276	CLARK	ST40	ST24502026238	BATTERY	4,000#
SWEEPER	193	TENNET	275	SE2879	LP	n/a
WALKIE FORK	349	CLARK	P60	P4653054120	BATTERY	6,000#
WALKIE FORK	407	CLARK	P60	P4655066775	BATTERY	6,000#
WALKIE FORK	424	YALE	MP60M24X52	AH114454	BATTERY	6,000#
WALKIE FORK	458	YALE	MPW040	414608	BATTERY	4,000#
WALKIE FORK	459	YALE	MPW040	414609	BATTERY	4,000#
WALKIE FORK	406	CLARK	P60	P4655056775	BATTERY	6,000#
WALKIE FORK	409	CLARK	P60	P4655086775	BATTERY	6,000#
WALKIE FORK	400	CLARK	P40	P4658508112	BATTERY	4,000#
WALKIE FORK	370	YALE		MS040MADDC011	BATTERY	
WALKIE FORK	P13	YALE	MPW060LCN242791	A838N077200W	BATTERY	
WALKIE PLATFORM	263	CLARK	ST25	ST24503015306	BATTERY	2,500#
WALKIE PLATFORM	332	CLARK	PF60	PF60782245	BATTERY	6,000#
WALKIE PLATFORM	340	CLARK	PF60	PF60113890	BATTERY	6,000#
WALKIE STRADDLE	258	CLARK	S40	S4000654785	BATTERY	4,000#



LINK has the following Mobile Cranes also available:

(1) Pettibone Hydraulic Boom Crane

Model #30, 30,000# capacity.

(1) Lorain Mobile Crane, 30,000# capacity

A C / D C M O T O R S & G E N E R A T O R S

MOTOR, 1 HP, 1745 RPM, 143T FRAME
 MOTOR, 1 HP, 1745 RPM, 143T FRAME
 MOTOR, 20 HP, 300/1900 RPM, 500 VOLTS, CD508AT FRA
 MOTOR, DC GENERATOR, 3 KW, 850-949 RPM, 125V, 43 F
 MOTOR, DC GENERATOR, 3 KW, 850-949 RPM, 125V, 43 F
 MOTOR, DC GENERATOR, 5 KW 0250-0349 RPM, 125 VOLTS
 MOTOR, DC GENERATOR, 50 KW, 1150-1249 RPM, 250 V,
 MOTOR, DC GENERATOR, SPEC KW, 1750-1849 RPM, 50 V,
 MOTOR, DC GENERATOR, 15 KW, 1750-1849 RPM, 125V, 66T
 MOTOR, DC, 1/2 HP □ 1000 RPM, 125/250V, 74AB FRAME
 MOTOR, DC, 1/2 HP □ 1000 RPM, 125/250V, 74AB FRAME
 MOTOR, DC, 1/2 HP, 1750 RPM, 90 V, 56C FR
 MOTOR, DC, 1/2 HP, 1750 RPM, 90 V, 56C FR
 MOTOR, DC, 1/2 HP, 1750 RPM, 90 V, 56C FR
 MOTOR, DC, 1/3 HP, 1725 RPM, 90 V, 56 FRAME
 MOTOR, DC, 10 HP, 400/800 RPM, 125 VOLTS, FORM A-1
 MOTOR, DC, 10 HP, 600/1500 RPM, 230 VOLTS, 92T FRA
 MOTOR, DC, 1-1/2 HP, 1725 RPM, 180/200 VOLTS, DB16
 MOTOR, DC, 150 HP, 2000 RPM, 500 V, CD506AT FR □ DC
 MOTOR, DC, 2 HP, 1725 RPM, 180/200 VOLTS, DC0189AT
 MOTOR, DC, 2 HP, 1725 RPM, 180/200 VOLTS, DC0189AT
 MOTOR, DC, 2 HP, 1725 RPM, 180/200 VOLTS, DC0189AT
 MOTOR, DC, 2 HP, 1725 RPM, 180/200 VOLTS, DC0189AT
 MOTOR, DC, 2 HP, 1725 RPM, 180/200 VOLTS, DC0189AT
 MOTOR, DC, 2 HP, 500/2100 RPM, 230V, 1050T FRAME
 MOTOR, DC, 20 HP, 2300 RPM, 500 V, CD259AT FR □ DC
 MOTOR, DC, 20 HP, 2300 RPM, 500 V, CD259AT FR □ DC
 MOTOR, DC, 20 HP, 400/1600 RPM, 230 VOLTS, 123 FRA
 MOTOR, DC, 200 HP, 2000 RPM, 500 V, CD506AT FR □ DC
 MOTOR, DC, 200 HP, 2000 RPM, 500 V, CD506AT FR □ DC
 MOTOR, DC, 200 HP, 2000 RPM, 500 V, CD506AT FR □ DC
 MOTOR, DC, 200 HP, 2000 RPM, 500 V, CD506AT FR □ DC
 MOTOR, DC, 200 HP, 2000 RPM, 500 V, CD506AT FR □ DC
 MOTOR, DC, 2-1/2 HP, 450/1800 RPM, 2300 VOLTS, 39
 MOTOR, DC, 220 HP, 1000 RPM, 250V, 185C FRAME
 MOTOR, DC, 220 HP, 1000 RPM, 250V, 185C FRAME
 MOTOR, DC, 220 HP, 1000 RPM, 250V, 185C FRAME
 MOTOR, DC, 220 HP, 1000 RPM, 250V, 185C FRAME
 MOTOR, DC, 3 HP, 1750 RPM, 180V, 218A FRAME
 MOTOR, DC, 3 HP, 850/1700 RPM, 500V, CD259AT FRAME
 MOTOR, DC, 40 HP, 650/2000 RPM, 240V, 2.9/7 FLD A
 MOTOR, DC, 40 HP, 650/2000 RPM, 240V, 2.9/7 FLD A
 MOTOR, DC, 400 KW, /1200 RPM, 250 V, 2550T5 FRAME-
 MOTOR, DC, 5 HP, 1750/2000 RPM, 500 V, 256A FRAME
 MOTOR, DC, 5 HP, 1750/2800 RPM, 230 V, T254 FRAME
 MOTOR, DC, 5 HP, 1750/3000 RPM, 240 V, 254 FRAME
 MOTOR, DC, 5 HP, 1750/3000 RPM, 240 V, 254 FRAME
 MOTOR, DC, 5 HP, 1750/3000 RPM, 240 V, 254 FRAME
 MOTOR, DC, 5 HP, 1750/3000 RPM, 240V, 216A FRAME -
 MOTOR, DC, 500 HP, 575/1200 RPM, 250 V, 5200-T-5 F
 MOTOR, DC, 60 HP, 300/1800 RPM, 230V, 985T FRAME - S
 MOTOR, DC, 60/60/60 HP, 300/500/1500 RPM, 310/500/
 MOTOR, DC, 6000KW, 3600 RPM, 2300 VOLTS, UNKNOWN F
 MOTOR, DC, 60HP, 1750/1970 RPM, 550V, 405 FR (CS80
 MOTOR, DC, 7-1/2 HP, 650 RPM, 230 V, 70 FRAME
 MOTOR, DC, 75 HP, 2000 RPM, 500 V, CD407AT FR □ DC

MOTOR, INDUCTION W/BRAKE □ 10 HP, 1700 RPM, 220/440
 MOTOR, INDUCTION W/BRAKE □ 10 HP, 1800 RPM, 460 V,
 MOTOR, INDUCTION W/BRAKE □ 7-1/2 HP, 1800 RPM, 440
 MOTOR, INDUCTION, .17 HP, 1200 RPM, DE85 FRAME
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 220/440V, 213-98
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 230/460V, 184 FR
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 230/460V, 184 FR
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 230/460V, 184 FR
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 230/460V, H145T
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 230/460V, H145T
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 230/460V, H145T
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 230/460V, H145T
 MOTOR, INDUCTION, 1 HP, 1200 RPM, 230/460V, H145T
 MOTOR, INDUCTION, 1 HP, 1800 RPM, 230/460V, F56C F
 MOTOR, INDUCTION, 1 HP, 2850 RPM, 240/480V, FB56C
 MOTOR, INDUCTION, 1 HP, 3600 RPM, 220/440V, 142Y F
 MOTOR, INDUCTION, 1/2 HP, 3600 RPM, 230/460V, DK48
 MOTOR, INDUCTION, 1/3 HP, 1800 RPM, 460V, FR56 FRA
 MOTOR, INDUCTION, 1/3 HP, 1800 RPM, 460V, L48Y FRA
 MOTOR, INDUCTION, 1/3 HP, 1800 RPM, 460V, L48Y FRA
 MOTOR, INDUCTION, 1/6 HP, 1725 RPM, 115 V, V56 FRA
 MOTOR, INDUCTION, 10 HP, 3600 RPM, 230/460V, 215T
 MOTOR, INDUCTION, 10 HP, 3600 RPM, 230/460V, 215T
 MOTOR, INDUCTION, 10 HP, 3600 RPM, 230/460V, 215T
 MOTOR, INDUCTION, 100 HP, 1800 RPM, 440V, 444U FRA
 MOTOR, INDUCTION, 100 HP, 1800 RPM, 440V, 445U FRA
 MOTOR, INDUCTION, 100 HP, 1800 RPM, 440V, 445U FRA
 MOTOR, INDUCTION, 100 HP, 1800 RPM, 440V, 445U FRA
 MOTOR, INDUCTION, 100 HP, 1800 RPM, 440V, 445U FRA
 MOTOR, INDUCTION, 1-1/2 HP, 1800 RPM, 220/440V, K5
 MOTOR, INDUCTION, 125 HP, 1780 RPM, 460V, 444T FR
 MOTOR, INDUCTION, 125 HP, 1780 RPM, 460V, 444T FR
 MOTOR, INDUCTION, 125 HP, 1780 RPM, 460V, 444T FR
 MOTOR, INDUCTION, 125 HP, 1780 RPM, 460V, 444T FR
 MOTOR, INDUCTION, 15 HP, 1200 RPM, 220/440V, CFC36



Above information based on a database generated report. Units include new/rebuilt spares and currently installed equipment. Call for additional details.

www.link-industrial.com

Total
Quality
Commitment



A C / D C M O T O R S & G E N E R A T O R S

MOTOR, INDUCTION, 15 HP, 1200 RPM, 460V, 286T FRAM
 MOTOR, INDUCTION, 15 HP, 1750 RPM, 460V, L254TD FR
 MOTOR, INDUCTION, 15 HP, 1750 RPM, 460V, L254TD FR
 MOTOR, INDUCTION, 15 HP, 1800 RPM, 220/440V, 256T
 MOTOR, INDUCTION, 2 HP, 3450 RPM, 230/460V, 48-Y F
 MOTOR, INDUCTION, 2 HP, 3600 RPM, 220/440V, 184TC
 MOTOR, INDUCTION, 20 HP, 1200 RPM, 460V, 286T W/C-
 MOTOR, INDUCTION, 20 HP, 3515 RPM, 220/440V, 326 F
 MOTOR, INDUCTION, 20 HP, 3515 RPM, 220/440V, 326 F
 MOTOR, INDUCTION, 200 HP, 1200 RPM, 2200V, 6334 FR
 MOTOR, INDUCTION, 200 HP, 1200 RPM, 2300V, 5010Y F
 MOTOR, INDUCTION, 200 HP, 1200 RPM, 2300V, 5010Y F
 MOTOR, INDUCTION, 200 HP, 1200 RPM, 2300V, 5010Y F
 MOTOR, INDUCTION, 200 HP, 1200 RPM, 2300V, 8155Z F
 MOTOR, INDUCTION, 25 HP, 1200 RPM, 220/440V, 405 F
 MOTOR, INDUCTION, 250 HP, 385 RPM, 2300 V, 17B FRA
 MOTOR, INDUCTION, 3 HP, 3450 RPM, L56J FRAME
 MOTOR, INDUCTION, 3/4 HP, □ 900 RPM, 220/440V, 184
 MOTOR, INDUCTION, 3/4 HP, 1800 RPM, 230/460V, F56
 MOTOR, INDUCTION, 3/4 HP, 3450 RPM, UNKNOWN FRAME
 MOTOR, INDUCTION, 3/4 HP, 860 RPM, 220/440V, UNKNO
 MOTOR, INDUCTION, 30 HP, 1200 RPM, 460V, 326T FRAM
 MOTOR, INDUCTION, 30 HP, 1200 RPM, 460V, 326T FRAM
 MOTOR, INDUCTION, 30 HP, 1200 RPM, 460V, 326T FRAM
 MOTOR, INDUCTION, 30 HP, 900 RPM, 220/440V, 404U F
 MOTOR, INDUCTION, 30 HP, 900 RPM, 220/440V, 404U F
 MOTOR, INDUCTION, 30 HP, 900 RPM, 220/440V, 404U F
 MOTOR, INDUCTION, 300 HP, 1177 RPM, 2300V, 509U FR
 MOTOR, INDUCTION, 300 HP, 1177 RPM, 2300V, 509U FR
 MOTOR, INDUCTION, 300 HP, 1177 RPM, 2300V, 509U FR
 MOTOR, INDUCTION, 400 HP, 1200 RPM, 2300V, 28EB945
 MOTOR, INDUCTION, 400 HP, 1200 RPM, 2300V, 28EB945
 MOTOR, INDUCTION, 400 HP, 1200 RPM, 2300V, 34EC501
 MOTOR, INDUCTION, 400 HP, 1200 RPM, 2300V, 34EC501
 MOTOR, INDUCTION, 400 HP, 1800 RPM, 2300V, 507U FR
 MOTOR, INDUCTION, 400 HP, 1800 RPM, 2300V, 507U FR
 MOTOR, INDUCTION, 400 HP, 1800 RPM, 2300V, 507U FR
 MOTOR, INDUCTION, 400 HP, 1800 RPM, 2300V, 507U FR
 MOTOR, INDUCTION, 400 HP, 1800 RPM, 2300V, 507U FR
 MOTOR, INDUCTION, 50 HP, 1800 RPM, 230/460V, EB326
 MOTOR, INDUCTION, 50 HP, 1800 RPM, 440V, CB405Z FR
 MOTOR, INDUCTION, 500 HP, 885 RPM, 460V, 8309S FRA
 MOTOR, INDUCTION, 500 HP, 885 RPM, 460V, 8309S FRA
 MOTOR, INDUCTION, 60 HP, 1190 RPM, 460V, 404T FRAM
 MOTOR, INDUCTION, 60 HP, 1190 RPM, 460V, 404T FRAM
 MOTOR, INDUCTION, 7-1/2 HP, 1800 RPM, 220/440V, 25
 MOTOR, INDUCTION, 7-1/2 HP, 1800 RPM, 230/460V, 21
 MOTOR, INDUCTION, 75 HP, 1800 RPM, 440V, 444U FRAM
 MOTOR, LIGHTNING MIXER, 1/3 HP, 1450 RPM, FB56YZ F
 MOTOR, SINGLE PHASE, 1/2 HP, 3450 RPM, 115/230V, F
 MOTOR, SINGLE PHASE, 1/4 HP, 1800 RPM, 230V, 5632
 MOTOR, SPEEDRANGER, 1/3 HP, 13.5/1725 RPM, 440V, J
 MOTOR, SYNCHRONOUS, 600 HP, 1200 RPM, B44 FRAME, F
 MOTOR, TACH GENERATOR, SPEC KW, 1150-1249 RPM, 250
 MOTOR, VS GENERATOR, 5 KW, 220/440V, C7.5VS FRAME
 MOTOR, DC, .75 HP, 1750 RPM, 90 OR 180V, 56C3428D FR D
 MOTOR, DC, .75 HP, 1750 RPM, 90 OR 180V, 56C3428D FR D

MOTOR, DC, 11/50/50 HP, 160/675/900 RPM, 56/248/248V, 1
 MOTOR, DC, 11/50/50 HP, 160/675/900 RPM, 56/248/248V, 1
 MOTOR, DC, 11/50/50 HP, 160/675/900 RPM, 56/248/248V, 1
 MOTOR, DC, 11/50/50 HP, 160/675/900 RPM, 56/248/248V, 1
 MOTOR, INDUCTION, 3/4 HP, 1735 RPM, 460 V, FK56C FR
 MOTOR, INDUCTION, 5 HP, 1155 RPM, 440V, 732 FORM C
 MOTOR, INDUCTION, 5 HP, 3600 RPM, 230/460V, 213 FRA
 MOTOR, INDUCTION, 7-1/2 HP, □ 900 RPM, 440V, UNKNOWN
 MOTOR, INDUCTION, 7-1/2 HP, 1750 RPM, 440V, 11250 F
 MOTOR, INDUCTION, 75 HP, 705 RPM, 440V, 6326 FRAME
 MOTOR, INDUCTION, 75 HP, 705 RPM, 440V, 6326 FRAME
 MOTORPUMP, 10 HP, 1800 RPM, 230-460 V, AFY-215-39
 MOTORPUMP, 15 HP, 1750 RPM, 220-440 V, 326Y FRAME
 MOTORPUMP, 15 HP, 1750 RPM, 220-440 V, 326Y FRAME
 MOTORPUMP, 2 HP, 3490 RPM, □ 204-Y FRAME AC
 MOTORPUMP, 20 HP, 1800 RPM, 220-440 V, 364Y FRAME
 MOTORPUMP, 20 HP, 1800 RPM, 220-440 V, 364Y FRAME
 MOTORPUMP, 3 HP, 3600 RPM, 220-440 V, 224CZ FRAME
 MOTORPUMP, 3 HP, 3600 RPM, 220-440 V, 224CZ FRAME
 MOTORPUMP, 30 HP, 1750 RPM, 220/440V, 405Y FRAME,
 MOTORPUMP, 30 HP, 1760 RPM, 220-440 V, 404-C FRAME
 MOTORPUMP, 30 HP, 1760 RPM, 220-440 V, 404-C FRAME
 MOTORPUMP, 30 HP, 1800 RPM, 220-440 V, 326UCZ FRAM
 MOTORPUMP, 30 HP, 1800 RPM, 220-440 V, 326UCZ FRAM
 MOTORPUMP, 40 HP, 1750 RPM, 220/440V, 405Y FRAME,
 MOTORPUMP, 7-1/2 HP, 3600 RPM, 460 V, 213TC FRAME



ARMATURE, DC GENERATOR, 3KW, 850-949 RPM, 125V, 43 FR
 ARMATURE, DC GENERATOR, 15 KW, 1750-1849 RPM, 125V,
 ARMATURE, FOR DC, 400 KW, /1200 RPM, 250 V, 2550T5
 ARMATURE, FOR DC, 400 KW, /1200 RPM, 250 V, 2550T5
 ARMATURE, FOR DC, 5 HP, 1750/3000 RPM, 240V, 216A
 ARMATURE, FOR DC, 60 HP, 300/1800 RPM, 230V, 985T
 ARMATURE, FOR DC, 60 HP, 300/1800 RPM, 230V, 985T
 ARMATURE, FOR MOTOR, DC, 60 HP, 1750/1970 RPM, 550
 ARMATURE, DC 11/50/50 HP, 160/675/900 RPM, 56/248/248
 ARMATURE, DC 11/50/50 HP, 160/675/900 RPM, 56/248/248
 ARMATURE, FOR DC 500 HP, 575-1200 RPM, 250V
 ARMATURE, FOR DC 500 HP, 575-1200 RPM, 250V

Above information based on a database generated report.
 Units include new/rebuilt spares and currently installed
 equipment. Call for additional details.

G E A R A N D P U M P M O T O R S

MOTOR, GEARMOTOR, .50 HP, 1725 RPM, 460V, FE56P48
 MOTOR, GEARMOTOR, .50 HP, 1725 RPM, 460V, FE56P48
 MOTOR, GEARMOTOR, .50 HP, 1725 RPM, 460V, FE56P48
 MOTOR, GEARMOTOR, .75 HP, 43/1725 RPM, 220-440 V,
 MOTOR, GEARMOTOR, .75 HP, 9/1725 RPM, 230-460 V, F
 MOTOR, GEARMOTOR, 1 HP, 48/1725 RPM, 220-440 V, 74
 MOTOR, GEARMOTOR, 1/2 HP, 8/1725 RPM, 220-440 V, 7
 MOTOR, GEARMOTOR, 1/2 HP, 8/1725 RPM, 220-440 V, 7
 MOTOR, GEARMOTOR, 1/2 HP, 8/1725 RPM, 220-440 V, 7
 MOTOR, GEARMOTOR, 1/2 HP, 99/1725 RPM, 230-460 V,
 MOTOR, GEARMOTOR, 1/3 HP, 39/1145 RPM, 460 V. 56FR
 MOTOR, GEARMOTOR, 1/3 HP, 39/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 39/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 39/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 39/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 87/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 87/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 87/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 87/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 87/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 87/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 87/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/3 HP, 87/1145 RPM, 460V, 56 FR
 MOTOR, GEARMOTOR, 1/4 HP, 9.6/1725 RPM, 220-440 V,
 MOTOR, GEARMOTOR, 1/4 HP, 9.6/1725 RPM, 220-440 V,
 MOTOR, GEARMOTOR, 1/4 HP, 9.6/1725 RPM, 220-440 V,
 MOTOR, GEARMOTOR, 1/4 HP, 9/1725 RPM, 220-440 V, H
 MOTOR, GEARMOTOR, 1/4 HP, 9/1725 RPM, 220-440 V, H
 MOTOR, GEARMOTOR, 1/4 HP, 9/1725 RPM, 220-440 V, H
 MOTOR, GEARMOTOR, 1/8 HP, ---/1250 RPM, 440V, UNKN
 MOTOR, GEARMOTOR, 1-1/2 HP, 100/1725 RPM, 230-460
 MOTOR, GEARMOTOR, 1-1/2 HP, 165/1725 RPM, 440 V, 2
 MOTOR, GEARMOTOR, 1-1/2 HP, 20/1730 RPM, 230-460 V
 MOTOR, GEARMOTOR, 1-1/2 HP, 20/1730 RPM, 230-460 V
 MOTOR, GEARMOTOR, 1-1/2 HP, 20/1730 RPM, 230-460 V
 MOTOR, GEARMOTOR, 1-1/2 HP, 48/1140 RPM, 220-440 V
 MOTOR, GEARMOTOR, 1-1/2 HP, 90/1725 RPM, 230-460 V
 MOTOR, GEARMOTOR, 2HP, 1750 RPM, 460V 86.00 RATIO
 MOTOR, GEARMOTOR, 5 HP, --/1745 RPM, 460 V, 184T-2
 MOTOR, GEARMOTOR, 5 HP, --/1745 RPM, 460 V, 184T-2
 MOTOR, GEARMOTOR, 5 HP, 350/1700 RPM, 208/230/460V
 MOTOR, GEARMOTOR, 5 HP, 350/1700 RPM, 208/230/460V
 MOTOR, GEARMOTOR, 5 HP, 350/1700 RPM, 208/230/460V
 MOTOR, GEARMOTOR, 5 HP, 350/1700 RPM, 208/230/460V
 MOTOR, GEARMOTOR, 5 HP, 54.9/1725 RPM, 440 V, 254
 MOTOR, GEARMOTOR, 5 HP, 54.9/1725 RPM, 440 V, 254
 MOTOR, GEARMOTOR, 5 HP, 54.9/1725 RPM, 440 V, 254
 MOTOR, GEARMOTOR, 7-1/2 HP, 151/1735 RPM, 220-440
 MOTOR, GEARMOTOR, 7-1/2 HP, 56/1730 RPM, 220-440 V

MOTOR, GEARHEAD W/BRAKES, 1/2 HP, 36/1725 RPM, 220
 MOTOR, GEARHEAD W/BRAKES, 2 HP, 30/1740 RPM, 230/4
 MOTOR, GEARHEAD W/BRAKES, 2 HP, 30/1740 RPM, 230/4
 MOTOR, GEARHEAD W/BRAKES, 2 HP, 30/1740 RPM, 230/4
 MOTOR, GEARHEAD W/BRAKES, 2 HP, 30/1740 RPM, 230/4
 MOTOR, GEARHEAD W/BRAKES, 2 HP, 30/1740 RPM, 230/4
 MOTOR, GEARHEAD W/BRAKES, 2 HP, 30/1740 RPM, 230/4
 MOTOR, GEARHEAD W/BRAKES, 2 HP, 30/1740 RPM, 230/4
 MOTOR, GEARHEAD W/BRAKES, 2 HP, 30/1740 RPM, 230/4
 MOTOR, GEARHEAD W/BRAKES, 5 HP, 320/1750 RPM, 220/
 MOTOR, GEARHEAD W/BRAKES, 5 HP, 320/1750 RPM, 220/
 MOTOR, GEARHEAD W/BRAKES, 5 HP, 320/1750 RPM, 220/
 MOTOR, GEARHEAD W/BRAKES, 5 HP, 320/1750 RPM, 220/
 MOTOR, GEARHEAD, 2 HP □ --/1720 RPM, 230/460V, RF63



MOTORPUMP, 10 HP, 1800 RPM, 230-460 V, AFY-215-39
 MOTORPUMP, 15 HP, 1750 RPM, 220-440 V, 326Y FRAME
 MOTORPUMP, 15 HP, 1750 RPM, 220-440 V, 326Y FRAME
 MOTORPUMP, 2 HP, 3490 RPM, □ 204-Y FRAME AC
 MOTORPUMP, 20 HP, 1800 RPM, 220-440 V, 364Y FRAME
 MOTORPUMP, 20 HP, 1800 RPM, 220-440 V, 364Y FRAME
 MOTORPUMP, 3 HP, 3600 RPM, 220-440 V, 224CZ FRAME
 MOTORPUMP, 3 HP, 3600 RPM, 220-440 V, 224CZ FRAME
 MOTORPUMP, 30 HP, 1750 RPM, 220/440V, 405Y FRAME,
 MOTORPUMP, 30 HP, 1760 RPM, 220-440 V, 404-C FRAME
 MOTORPUMP, 30 HP, 1760 RPM, 220-440 V, 404-C FRAME
 MOTORPUMP, 30 HP, 1800 RPM, 220-440 V, 326UCZ FRAM
 MOTORPUMP, 30 HP, 1800 RPM, 220-440 V, 326UCZ FRAM
 MOTORPUMP, 40 HP, 1750 RPM, 220/440V, 405Y FRAME,
 MOTORPUMP, 7-1/2 HP, 3600 RPM, 460 V, 213TC FRAME



Above information based on a database generated report. Units include new/rebuilt spares and currently installed equipment. Call for additional details.

www.link-industrial.com

Total
Quality
Commitment

P U M P S A N D C L U T C H E S

PUMP, SIZE 1 X 2 - 8 IMP: 8-1/16" CATALOG NO. 10
 PUMP, SIZE 1 X 2 - 8 IMP: 8-1/16" CATALOG NO. 10
 PUMP, SIZE 1 X 2 - 8 IMP: 8-1/16" CATALOG NO. 10
 PUMP, SIZE 10 X 12 X 14 IMP: 13.5 MODEL NO. 3
 PUMP, SIZE 10 X 12 X 14 IMP: 13.5 MODEL NO. 3
 PUMP, SIZE 10 X 12 X 14 IMP: 13.5 MODEL NO. 3
 PUMP, SIZE 18 X 20 X 24 IMP: 24 MODEL NO. 342
 PUMP, SIZE 4 X 6-18-5V S IMP: 14.25 MODEL NO.
 PUMP, SIZE 8 X 10 X 12 MODEL NO. 3405 (NEW ST
 PUMP, SIZE 10 X 12 X 18 MODEL NO. 3175 IMP ?
 PUMP, SIZE 10 X 12 X 18 MODEL NO. 3175 IMP ?
 PUMP, SIZE 10W DHL IMP: 8-1/2" SS
 PUMP, SIZE 10W DHL IMP: 8-1/2" SS
 PUMP, SIZE 1EO12G1-CSQ
 PUMP, SIZE 1EO12G1-CSQ
 PUMP, SIZE 1EO12G1-CSQ
 PUMP, SIZE 2.5 X 3-8 IMP: 7.5" MODEL NO. 3171
 PUMP, SIZE 2CORVH20 IMP: 7 1/4"
 PUMP, SIZE 2D10
 PUMP, SIZE 2D10
 PUMP, SIZE 2D10
 PUMP, SIZE 2D10
 PUMP, SIZE 2D10
 PUMP, SIZE 2RVH-15
 PUMP, SIZE 2RVH-15
 PUMP, SIZE 3 X 1 1/2 H-10 IMP: 10" MODEL NO. MA
 PUMP, SIZE 3 X 1 1/2 H-10 IMP: 10" MODEL NO. MA
 PUMP, SIZE 3 X 2-10/100 IMP: 10"
 PUMP, SIZE 3 X 2-10/100 IMP: 10"
 PUMP, SIZE 3 X 6 X 14 IMP: 11 1/2"
 PUMP, SIZE 3 X 6 X 14 IMP: 11 1/2"
 PUMP, SIZE 3 X 6 X 14 IMP: 11 1/2"
 PUMP, SIZE 3 X 6 X 14 IMP: 11 1/2"
 PUMP, SIZE 3 X 6 X 14 IMP: 11 1/2"
 PUMP, SIZE 3-M-6 CDQ-X
 PUMP, SIZE 4RVL-20 IMP: 9 "
 PUMP, SIZE 4RVL-20 IMP: 9 "
 PUMP, SIZE 4RVL-20 IMP: 9 "
 PUMP, SIZE 4RVL-20 IMP: 9 "
 PUMP, SIZE 4RVL-30 IMP: 10 5/8"
 PUMP, SIZE 4RVL-30 IMP: 10 5/8"
 PUMP, SIZE 4RVL-30 IMP: 10 5/8"
 PUMP, SIZE 4RVL-30 IMP: 10 5/8"
 PUMP, SIZE 8 X 10 X 15 MODEL NO. 3196 IMP 14.1
 PUMP, SIZE 8X10-13 IMP: 12-1/8" MODEL 3196 12
 PUMP, SIZE LL3 IMP: 8" IMP MAT: CAST IRON
 PUMP, SIZE LPHB3408BN-001-01-2 OR KPHA3408BN-001-
 PUMP, SIZE LPHB3408BN-001-01-2 OR KPHA3408BN-001-
 PUMP, SIZE 1 X 1.5-8 MODEL 3196 STX 7.5" IMP:NOTE:
 PUMP, SIZE 10 X 4 X 17 IMP: 14.5 MODEL NO. F9B1-
 PUMP, SIZE 16 X 6 X 17 PWO IMP: 14-5/8 MODEL NO.
 PUMP, SIZE 16 X 6 X 17 PWO IMP: 14-5/8 MODEL NO.
 PUMP, SIZE 16 X 6 X 17 PWO IMP: 14-5/8 MODEL NO.
 PUMP, SIZE 1EO12G1-CSQ
 PUMP, SIZE 3175 6X8-18 IMP 15.58 316L SS VOLUTE
 PUMP, SIZE 3175 6X8-18 IMP 15.58 316L SS VOLUTE



PUMP, SIZE 6 X 4-13 IMP: 12 MODEL NO. APT32-4 I
 PUMP, SIZE 6 X 4-13 IMP: 12 MODEL NO. APT32-4 I
 PUMP, SIZE 6 X 4-13 IMP: 13 MODEL NO. APT32-4 I
 PUMP, SIZE 6 X 8 X 13 IMP. 11.75" MODEL XLTX 3196
 PUMP, SIZE 6 X 8 X 13 IMP. 11-3/8" MODEL XLTX 3196
 PUMP, SIZE 8 X 4 X 17 PWO IMP: 15 1/2 MODEL NO.
 PUMP, SIZE 8 X 4 X 17 PWO IMP: 15 1/2 MODEL NO.
 PUMP, SIZE 8 X 4 X 17 PWO IMP: 15 1/2 MODEL NO.
 PUMP, SIZE 8 X 4 X 17 PWO IMP: 16.250" MODEL NO.
 PUMP, SIZE 8 X 5 IMP: 15 1/2 X 1 MODEL NO. SSGOR
 PUMP, SIZE 8 X 5 IMP: 15 1/2 X 1 MODEL NO. SSGOR
 PUMP, SIZE 8 X 5 IMP: 15 1/2 X 1 MODEL NO. SSGOR
 PUMP, SIZE CL 1001, FROM MOTOR END CCW ROTATION, C
 PUMP, SIZE CL 1001, FROM MOTOR END CCW ROTATION, C
 PUMP, SIZE CL 1001, FROM MOTOR END CCW ROTATION, C
 PUMP, SIZE CL 1001, FROM MOTOR END CCW ROTATION, C
 PUMP, SIZE H 8 VACUUM, REPLACEMENT FOR OLD L 7
 PUMP, SIZE LH2
 PUMP, VACUUM, SIZE HYTOR L 7,
 PUMP, VACUUM, SIZE HYTOR L 7,
 PUMP, W/MOTOR COMBO. SIZE 2 X 3, MODEL R2GH-15-T



Above information based on a database generated report. Units include new/rebuilt spares and currently installed equipment. Call for additional details.

R E D U C E R S A N D C L U T C H E S

REDUCER, MODEL GV15-6 RATIO: 5.87:1 RPM 296 4
 REDUCER, MODEL GV15-6 RATIO: 5.87:1 RPM 296 4
 REDUCER, MODEL GV15-6 RATIO: 5.87:1 RPM 296 4
 REDUCER, 105-D RATIO: 10.293:1
 REDUCER, 105-D RATIO:10.293:1
 REDUCER, MODEL :SHV-7500C-AJDW RATIO: 40:1
 REDUCER, MODEL :SHV-7500C-AJDW RATIO: 40:1
 REDUCER, MODEL 105D RATIO: 8.793 TO 1
 REDUCER, MODEL 365A2-A RATIO: 9.481:1 INPUT RPM:
 REDUCER, MODEL: 56CM21A (ATTACHED MTR CS80G376)
 REDUCER, MODEL: MSR500600C-AJ RATIO: 60:1
 REDUCER, SIZE 100AF, RATIO 10:1, 37.3 HP, 580 RPM
 REDUCER, SIZE 1040-FC2A RATIO:14.07 TO 1 INPUT
 REDUCER, SIZE 1040-FZ04A RATIO 160.5:1 INPUT RPM:
 REDUCER, SIZE 1040-FZ04A RATIO 160.5:1 INPUT RPM:
 REDUCER, SIZE 1040-FZ04A RATIO 160.5:1 INPUT RPM:
 REDUCER, SIZE 1070FCB3A, RATIO 4.88 : 1
 REDUCER, SIZE 10AT RATIO:5.1 3.7 HP 1150 RPM
 REDUCER, SIZE 14 RATIO 13.8:1 TYPE DH RPM 500
 REDUCER, SIZE 140SM21A 2.42 HP RATIO 6.2:1 RPM
 REDUCER, SIZE 140SM21A 2.42 HP RATIO 6.2:1 RPM
 REDUCER, SIZE 140SM21A 2.42 HP RATIO 6.2:1 RPM
 REDUCER, SIZE 200 AT SERIES:25 RATIO:60 TO 1 I
 REDUCER, SIZE 200 FA SERIES:25-F RATIO:59-1 HP:
 REDUCER, SIZE 200 FA SERIES:25-F RATIO:59-1 HP:
 REDUCER, SIZE 2060Y1-LS RATIO:3.031:1 INPUT RPM:1
 REDUCER, SIZE 2080Y1-LD RATIO: 7.357:1, INPUT RPM
 REDUCER, SIZE 2090Y1-LD RATIO: 5.133:1 INPUT RPM
 REDUCER, SIZE 2090Y1-LD RATIO: 6.786:1 INPUT RPM
 REDUCER, SIZE 2090Y1-LD RATIO: 6.786:1 INPUT RPM
 REDUCER, SIZE 216792
 REDUCER, SIZE 300 ATW RATIO:30 TO 1 HP:6.4
 REDUCER, SIZE 30AF RATIO 5:1 8.10 HP 1750 RPM
 REDUCER, SIZE 3C RATIO 4.37:1
 REDUCER, SIZE 3C RATIO 4.37:1
 REDUCER, SIZE 3C RATIO 4.37:1
 REDUCER, SIZE 3EZ2-06C5 RATIO:11.28 TO 1 HP:7-1
 REDUCER, SIZE 3EZ2-06C5 RATIO:11.28 TO 1 HP:7-1
 REDUCER, SIZE 50YH25 RATIO:10.22 TO 1
 REDUCER, SIZE 6C2-02AS RATIO: 7.645:1
 REDUCER, SIZE 6C2-02AS RATIO: 7.645:1
 REDUCER, SIZE 70 AT
 REDUCER, SIZE 70 AT
 REDUCER, SIZE HGHC RATIO:8.944 TO 1
 REDUCER, SIZE HGHC RATIO:8.944 TO 1
 REDUCER, SIZE TXM300 RATIO 5.10:1 HP 35.2 @ 1750
 REDUCER, SIZE, 100AF, RATIO 10:1, 37.3 HP,580RPM
 REDUCER, SIZE, 100AF,RATIO 10:1, 37.3 HP, 580 RPM



CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 24 X 16-L
 CLUTCH, SIZE 32 X 22-L
 CLUTCH, SIZE 32 X 22-L
 CLUTCH, SIZE 32 X 22-L
 CLUTCH, SIZE 32 X 22-L
 CLUTCH, SIZE 32 X 22-L
 CLUTCH, SIZE 32 X 22-L
 CLUTCH, SIZE 32 X 22-L
 CLUTCH, SIZE 32 X 22-L
 CLUTCH, SIZE 32 X 22-L



Above information based on a database generated report. Units include new/rebuilt spares and currently installed equipment. Call for additional details.

www.link-industrial.com

Total
Quality
Commitment



G E N E R A L E Q U I P M E N T



Selco Bailer - Model V5-HD



Lan-Wrapper V-Series V-345



American Lewa
Color Sizing System

American Lewa
Bulk Color System



Portable Trailer
Jacks
Qty 6



Modular Offices
Various Sizes



Pallet Racking
100's of sections
Various upright
heights and beam
lengths. Wire deck-
ing also available.
Many sections ready
to ship today.

Eucuid Stacker
Crane

